ELSEVIER

Journal of Organometallic Chemistry 565 (1998) 297

Journal of Organometallic Chemistry

Author index of Volume 565

Abdul Malik, K.L.M., 243
Abu-Salah, O.M., 211
Akita, M., 49
Appelt, R., 187
Atwood, J.L., 179

Baker, L.-J., 153
Baker, M.V., 225
Balavoine, G.G.A., 115
Beck, C.U., 283
Butler, I.R., 243
Byrne, L.T., 259

Canty, A.J., 135
Carty, A.J., 3, 279
Cavell, K.J., 165
Chao, W.-J., 3
Charmant, J.P.H., 141
Chi, Y., 3
Chung, C., 3
Chung, M.-C., 49
Cifuentes, M.P., 193
Coat, F., 75
County, G.R., 11

Daran, J.-C., 115
Deacon, G.B., 201
Delgado, E., 3
Dickson, H.A.A., 141
Dickson, R.S., 11
Dinger, M.B., 125
Dixneuf, P., 63
Duffy, N.W., 19

Enright, G.D., 279

Fallon, G.D., 11, 201
Field, L.D., 283
Fontani, M., 243
Forsyth, C.M., 201
Fun, H.K., 267

Gatehouse, B.M., 201
Gautier, R., 217
Gevert, O., 231
Green, M.J., 165
Griesbach, U., 243
Griffith, C.S., 259
Grist, N.J., 141
Grünwald, C., 231
Guillaume, V., 75

Halet, J.-F., 217
Hambley, T.W., 283
Haquette, P., 63
Harding, M.M., 29
Heath, G.A., 193
Hibbs, D., 243
Hockless, D.C.R., 81
Hos, J.P., 259
Housecroft, C.E., 105
Humphrey, M.G., 1, 81, 193
Humphrey, P.A., 283
Hursthouse, M.B., 243

Iftime, G., 115

Jahncke, M., 97
Jia, G., 37
Jin, H., 135
Junk, P.C., 179, 201

Knox, S.A.R., 141
Koutsantonis, G.A., 259

Lapinte, C., 75
Lau, C.P., 37
Lee, G.-H., 3
Liddell, M.J., 271
Low, P.J., 279
Luft, M., 159

Main, L., 125
Manoury, E., 115
Mari, A., 75
Masters, A.F., 283
Matisons, J.G., 159
McAdam, C.J., 19
McGuinness, D.S., 165
Miyauti, M., 49
Mokdsi, G., 29
Moro-oka, Y., 49
Mu, J.C., 159

Neels, A., 97
Nicholson, B.K., 125
North, M.R., 225

Orpen, A.G., 141

Peng, S.-M., 3
Philosof, A., 201
Provatas, A., 159
Puvanesvary, K., 267

Rheingold, A.L., 105
Rickard, C.E.F., 153
Robinson, B.H., 19
Roper, W.R., 153

Saynor, K., 141
Seneka Perera, M.P., 193
Shawkataly, O., 267
Simpson, J., 19
Sivakumar, K., 267
Skelton, B.W., 159
Skelton, B.W., 165, 193, 259
Steinert, P., 231
Stoeckli-Evans, H., 97
Süss-Fink, G., 97

Tanaka, M., 49
Terada, M., 49
Thominot, P., 75
Touchard, D., 63
Toupet, L., 63
Turner, P., 283

Vahrenkamp, H., 187
Viñas, J.M., 141

Waller, A., 105
Waterman, S.M., 81, 193
Werner, H., 231
White, A.H., 159, 165, 193, 259
White, P.A., 201
Williams, M.L., 193
Wolf, J., 231
Woodgate, S.D., 153
Wright, L.J., 153

Yap, G.P.A., 105

Zanello, P., 243
Zhu, N., 187

PII S0022-328X(98)00819-5

ELSEVIER

Journal of Organometallic Chemistry 565 (1998) 299–303

Journal of Organometallic Chemistry

Subject index of Volume 565

Acetylide
Reversible coordination of the high oxidation state dioxo-acetylide fragment $(C_5Me_5)W(O)_2(CCPh)$ to a hexaruthenium cluster frame, 3
Acylacetylide
Buta-1,2,3-trienylidene, acylvinylidene and acylalkynyl ruthenium complexes via activation of alkynes with $RuCl_2(dppe)_2$. X-ray structure of *trans*-$[Ru(=C=CHCOCH_2Ph)(Cl)(dppe)_2]O_3SCF_3$, 63
Acylvinylidene
Buta-1,2,3-trienylidene, acylvinylidene and acylalkynyl ruthenium complexes via activation of alkynes with $RuCl_2(dppe)_2$. X-ray structure of *trans*-$[Ru(=C=CHCOCH_2Ph)(Cl)(dppe)_2]O_3SCF_3$, 63
Alkenylvinylidene
Buta-1,2,3-trienylidene, acylvinylidene and acylalkynyl ruthenium complexes via activation of alkynes with $RuCl_2(dppe)_2$. X-ray structure of *trans*-$[Ru(=C=CHCOCH_2Ph)(Cl)(dppe)_2]O_3SCF_3$, 63
Alkyne
Investigation of the iron–carbon bonding for alkyl, alkynyl, carbene, vinylidene, and allenylidene complexes using ^{57}Fe Mössbauer spectroscopy, 75
Organometallic clusters: What is an appropriate DFT treatment?, 271
The unusual attachment of an alkyne across the open edge of a Rh_2Pd complex, 11
Alkyne complexes
Some acetylene and hydride chemistry of group 8 metal complexes with cyclopentadienyls and their analogous ligands, 37
Alkyne reactions
Orthomanganation of arylhydrazones and related *N*-donor substrates, 125
Alkynes
1,3,5-Trimethyl-1,3,5-triazacyclohexane tricarbonyl complexes of Mo and W as sources of the *fac*-$M(CO)_3$ fragment. Mild syntheses of *fac*-$[M(CO)_3(CH_3CN)_3]$ (M = Mo, W), $[W(CO)_3(PR_3)_3]$, $[W(CO)(alkyne)_3]$ and $[W(CO)_3(\pi\text{-arene})]$ complexes, 225
Allenylidene
Investigation of the iron–carbon bonding for alkyl, alkynyl, carbene, vinylidene, and allenylidene complexes using ^{57}Fe Mössbauer spectroscopy, 75
Amido complexes
Parallel coordination of hydrazine to diruthenium units: synthesis and molecular structure of the cationic complexes $[(\eta^6\text{-}C_6Me_6)_2Ru_2(\mu_2\text{-}H)_2(\mu_2\text{-}\eta^1,\eta^1\text{-}H_2NNH_2)]^{2+}$ and $[(\eta^6\text{-}C_6Me_6)_2Ru_2(\mu_2\text{-}H)(\mu_2\text{-}\eta^1,\eta^1\text{-}H_2NNH_2)(\mu_2\text{-}NH_2)]^{2+}$, 97
Anistropic esr spectrum
Preparation and redox properties of phosphite derivatives of $R_2C_2Co_2(CO)_{6-n}[P(OMe)_3]_n$ (R = CF_3, MeO_2C), 19
Antitumor
Water soluble, hydrolytically stable derivatives of the antitumor drug titanocene dichloride and binding studies with nucleotides, 29
Arylhydrazones
Orthomanganation of arylhydrazones and related *N*-donor substrates, 125
Benzyne complex
Linking of benzyne and carbon monoxide at a triruthenium centre by migratory insertion, 141
Biphosphine ligands
Towards linked clusters: reactions of $[Ru_6(CO)_{17}B]^-$ with dppm and [ClAu(L–L)AuCl] (L–L = bis(diphenylphosphino)-alkanes, -ethene and -ethyne, and the crystal structure of $[HRu_6(CO)_{15}(P,P'\text{-dppm})B]$ (dppm = bis(diphenylphosphino)methane), 105
Bis(methylcyclopentadienyl) titanocene dichloride
Water soluble, hydrolytically stable derivatives of the antitumor drug titanocene dichloride and binding studies with nucleotides, 29
1,6-Bis(trimethylsilyl)hexa-1,3,5-triyne
1,6-Bis(trimethylsilyl)hexa-1,3,5-triyne as a precursor to ruthenium clusters containing highly ethynylated ligands, 279
Boride clusters
Towards linked clusters: reactions of $[Ru_6(CO)_{17}B]^-$ with dppm and [ClAu(L–L)AuCl] (L–L = bis(diphenylphosphino)-alkanes, -ethene and -ethyne, and the crystal structure of $[HRu_6(CO)_{15}(P,P'\text{-dppm})B]$ (dppm = bis(diphenylphosphino)methane), 105
Butadienyl
Investigation of the iron–carbon bonding for alkyl, alkynyl, carbene, vinylidene, and allenylidene complexes using ^{57}Fe Mössbauer spectroscopy, 75
Butatrienylidene
Buta-1,2,3-trienylidene, acylvinylidene and acylalkynyl ruthenium complexes via activation of alkynes with $RuCl_2(dppe)_2$. X-ray structure of *trans*-$[Ru(=C=CHCOCH_2Ph)(Cl)(dppe)_2]O_3SCF_3$, 63
Carbene
Investigation of the iron–carbon bonding for alkyl, alkynyl, carbene, vinylidene, and allenylidene complexes using ^{57}Fe Mössbauer spectroscopy, 75
Carbide
Reactions of metalloalkynes 3. Facile synthesis of pentanuclear ruthenium clusters. X-ray structures of $[Ru_5(\mu_5\text{-}C{\equiv}C)(\eta\text{-}C_5H_4R)_2(dppm)(\mu_2\text{-}CO)_2(CO)_7]$ (R = H, CH_3), 259
Carbonyl
Mixed-metal cluster chemistry IX: alkylarylphosphine derivatives of $[CpWIr_3(CO)_{11}]$ and X-ray crystal structure of $[CpWIr_3(\mu\text{-}CO)_3(CO)_7(PMe_2Ph)]$, 81
Carbonyls
Use of metal carbonyls in the formation of $[H_5O_2^+ \cdot 15\text{-crown-}5][MOCl_4(H_2O)^-]$, (M = Mo, W), and a second sphere coordination complex in $[mer\text{-}CrCl_3(H_2O)_3 \cdot 15\text{-crown-}5]$, 179
Catonic hexamethylbenzene complexes
Parallel coordination of hydrazine to diruthenium units: synthesis and molecular structure of the cationic complexes $[(\eta^6\text{-}C_6Me_6)_2Ru_2(\mu_2\text{-}H)_2(\mu_2\text{-}\eta^1,\eta^1\text{-}H_2NNH_2)]^{2+}$ and $[(\eta^6\text{-}C_6Me_6)_2Ru_2(\mu_2\text{-}H)(\mu_2\text{-}\eta^1,\eta^1\text{-}H_2NNH_2)(\mu_2\text{-}NH_2)]^{2+}$, 97

PII S0022-328X(98)00820-1

Charge transfer spectra
Attachment of cyanometal units to the Fe_4S_4 cluster, 187
Chirality
Mono and difunctionalisation of chiral ferrocenyl bis-acetals. X-Ray crystal structure of bis-1,1′-[(2*S*, 4*S*)-(hydroxymethyl)-2-dioxane1,3]-ferrocene, 115
Cluster
Mixed-metal cluster chemistry IX: alkylarylphosphine derivatives of $[CpWIr_3(CO)_{11}]$ and X-ray crystal structure of $[CpWIr_3(\mu\text{-}CO)_3(CO)_7(PMe_2Ph)]$, 81
Reactions of metalloalkynes 3. Facile synthesis of pentanuclear ruthenium clusters. X-ray structures of $[Ru_5(\mu_5\text{-}C{\equiv}C)(\eta\text{-}C_5H_4R)_2(dppm)(\mu_2\text{-}CO)_2(CO)_7]$ (R = H, CH_3), 259
Cluster compounds
Reaction of ethynediyl, butadiynediyl and ethynyl iron complexes, $(\eta^5\text{-}C_5R_5)(CO)_2Fe{-}(C{\equiv}C)_n{-}X$ [X = $Fe(\eta^5\text{-}C_5R_5)(CO)_2$, H; $R_5 = Me_5$, Me_4Et; $n = 1$, 2], with $Fe_2(CO)_9$ leading to polynuclear C_2 and C_4 complexes, 49
Clusters
Organometallic clusters: What is an appropriate DFT treatment?, 271
Synthesis and X-ray structure of $Ru_3(CO)_6(\mu_2\text{-}CO)(\mu_2\text{-}AsPh_2)(\mu\text{-}O{=}C{-}C_{12}H_{17})$, a first example of a CO insertion reaction to a cluster-bound hydrocarbon, 267
Cp hydrolysis
Water soluble, hydrolytically stable derivatives of the antitumor drug titanocene dichloride and binding studies with nucleotides, 29
15-Crown-5
Use of metal carbonyls in the formation of $[H_5O_2^+ \cdot 15\text{-crown-}5][MOCl_4(H_2O)^-]$, (M = Mo, W), and a second sphere coordination complex in $[mer\text{-}CrCl_3(H_2O)_3 \cdot 15\text{-crown-}5]$, 179
Crystal structure
Diferrocenyltriphosphines 1: five-coordinate ruthenium complexes, 243
Mixed-metal cluster chemistry IX: alkylarylphosphine derivatives of $[CpWIr_3(CO)_{11}]$ and X-ray crystal structure of $[CpWIr_3(\mu\text{-}CO)_3(CO)_7(PMe_2Ph)]$, 81
The preparation of mixed ligand ruthenocenes containing bulky cyclopentadienyl ligands. Crystal structures of pentaphenylruthenocene, $[Ru(\eta^5\text{-}C_5Ph_5)(\eta^5\text{-}C_5H_5)]$, pentaparatolylruthenocene, $[Ru\{\eta^5\text{-}C_5(p\text{-}MeC_6H_4)_5\}(\eta^5\text{-}C_5H_5)]$ and pentaphenylpentamethylruthenocene, $[Ru(\eta^5\text{-}C_5Ph_5)(\eta^5\text{-}C_5Me_5)]$, 283
Cumulene
Investigation of the iron–carbon bonding for alkyl, alkynyl, carbene, vinylidene, and allenylidene complexes using ^{57}Fe Mössbauer spectroscopy, 75
Cyano-organometallics
Attachment of cyanometal units to the Fe_4S_4 cluster, 187
Cyclopentadienyl
Mixed-metal cluster chemistry IX: alkylarylphosphine derivatives of $[CpWIr_3(CO)_{11}]$ and X-ray crystal structure of $[CpWIr_3(\mu\text{-}CO)_3(CO)_7(PMe_2Ph)]$, 81
Organolanthanoids XXIII complexes of tris(cyclopentadienyl)lanthanoids with tertiary phosphine oxides and the X-ray crystal structures of $[YbCp_3(OPPh_3)]$ and $[NdCp_3(OPBu^n_3)]$, 201
The preparation of mixed ligand ruthenocenes containing bulky cyclopentadienyl ligands. Crystal structures of pentaphenylruthenocene, $[Ru(\eta^5\text{-}C_5Ph_5)(\eta^5\text{-}C_5H_5)]$, pentaparatolylruthenocene, $[Ru\{\eta^5\text{-}C_5(p\text{-}MeC_6H_4)_5\}(\eta^5\text{-}C_5H_5)]$ and pentaphenylpentamethylruthenocene, $[Ru(\eta^5\text{-}C_5Ph_5)(\eta^5\text{-}C_5Me_5)]$, 283

Density functional calculations
Five-coordinate hydrogen in hydrido rhodium cluster compounds: A theoretical analysis, 217
Density functional theory
Organometallic clusters: What is an appropriate DFT treatment?, 271
Diastereoselectivity
Mono and difunctionalisation of chiral ferrocenyl bis-acetals. X-Ray crystal structure of bis-1,1′-[(2*S*, 4*S*)-(hydroxymethyl)-2-dioxane1,3]-ferrocene, 115
Dicarbide
Reaction of ethynediyl, butadiynediyl and ethynyl iron complexes, $(\eta^5\text{-}C_5R_5)(CO)_2Fe{-}(C{\equiv}C)_n{-}X$ [X = $Fe(\eta^5\text{-}C_5R_5)(CO)_2$, H; $R_5 = Me_5$, Me_4Et; $n = 1$, 2], with $Fe_2(CO)_9$ leading to polynuclear C_2 and C_4 complexes, 49
Dihydrogen complexes
Some acetylene and hydride chemistry of group 8 metal complexes with cyclopentadienyls and their analogous ligands, 37

Electrochemistry
Attachment of cyanometal units to the Fe_4S_4 cluster, 187
Diferrocenyltriphosphines 1: five-coordinate ruthenium complexes, 243
Ethynyl clusters
1,6-Bis(trimethylsilyl)hexa-1,3,5-triyne as a precursor to ruthenium clusters containing highly ethynylated ligands, 279

Ferrocene
Diferrocenyltriphosphines 1: five-coordinate ruthenium complexes, 243
Mono and difunctionalisation of chiral ferrocenyl bis-acetals. X-Ray crystal structure of bis-1,1′-[(2*S*, 4*S*)-(hydroxymethyl)-2-dioxane1,3]-ferrocene, 115
Fe_4S_4 clusters
Attachment of cyanometal units to the Fe_4S_4 cluster, 187
Five co-ordinate hydrido
Five-coordinate hydrogen in hydrido rhodium cluster compounds: A theoretical analysis, 217
Fluxionality
Mixed-metal cluster chemistry IX: alkylarylphosphine derivatives of $[CpWIr_3(CO)_{11}]$ and X-ray crystal structure of $[CpWIr_3(\mu\text{-}CO)_3(CO)_7(PMe_2Ph)]$, 81

Heck reaction
Synthesis and reaction chemistry of mixed ligand methylpalladium–carbene complexes, 165
Heterometallic cluster
Reversible coordination of the high oxidation state dioxo-acetylide fragment $(C_5Me_5)W(O)_2(CCPh)$ to a hexaruthenium cluster frame, 3
Heteronuclear cluster
The unusual attachment of an alkyne across the open edge of a Rh_2Pd complex, 11
Hydrazine complexes
Parallel coordination of hydrazine to diruthenium units: synthesis and molecular structure of the cationic complexes $[(\eta^6\text{-}C_6Me_6)_2Ru_2(\mu_2\text{-}H)_2(\mu_2\text{-}\eta^1,\eta^1\text{-}H_2NNH_2)]^{2+}$ and $[(\eta^6\text{-}C_6Me_6)_2Ru_2(\mu_2\text{-}H)(\mu_2\text{-}\eta^1,\eta^1\text{-}H_2NNH_2)(\mu_2\text{-}NH_2)]^{2+}$, 97
Hydride addition
Vinylidene complexes of osmium(0) derived from 1-naphthyl- or 2-naphthyl-carbyne complexes by hydride addition to the naphthyl substituents. The crystal structure of $Os(=C{=}C_{10}H_8)(CO)_2(PPh_3)_2$, 153
Hydride complexes
Some acetylene and hydride chemistry of group 8 metal complexes with cyclopentadienyls and their analogous ligands, 37
Hydrido
Five-coordinate hydrogen in hydrido rhodium cluster compounds: A theoretical analysis, 217

Interstitial hydrido clusters
Five-coordinate hydrogen in hydrido rhodium cluster compounds: A theoretical analysis, 217
Interstitial phosphido
High nuclearity ruthenium carbonyl cluster chemistry VII. Synthesis, NMR studies, electrochemistry and X-ray crystal structure of [PPN] [$Ru_8(\mu_8\text{-}P)(CO)_{22}$], 193
Iridium
Mixed-metal cluster chemistry IX: alkylarylphosphine derivatives of [$CpWIr_3(CO)_{11}$] and X-ray crystal structure of [$CpWIr_3(\mu\text{-}CO)_3(CO)_7(PMe_2Ph)$], 81
Iron
Mono and difunctionalisation of chiral ferrocenyl bis-acetals. X-Ray crystal structure of bis-1,1′-[(2*S*, 4*S*)-(hydroxymethyl)-2-dioxane1,3]-ferrocene, 115
Organometallic clusters: What is an appropriate DFT treatment?, 271
Iron(II)
Investigation of the iron–carbon bonding for alkyl, alkynyl, carbene, vinylidene, and allenylidene complexes using ^{57}Fe Mössbauer spectroscopy, 75
Iron(III)
Investigation of the iron–carbon bonding for alkyl, alkynyl, carbene, vinylidene, and allenylidene complexes using ^{57}Fe Mössbauer spectroscopy, 75

Manganese
Organometallic clusters: What is an appropriate DFT treatment?, 271
Orthomanganation of arylhydrazones and related *N*-donor substrates, 125
Methylpalladium carbene complexes
Synthesis and reaction chemistry of mixed ligand methylpalladium–carbene complexes, 165
Molybdenum
1,3,5-Trimethyl-1,3,5-triazacyclohexane tricarbonyl complexes of Mo and W as sources of the *fac*-$M(CO)_3$ fragment. Mild syntheses of *fac*-[$M(CO)_3(CH_3CN)_3$] (M = Mo, W), [$W(CO)_3(PR_3)_3$], [W(CO)(alkyne)$_3$] and [$W(CO)_3(\pi\text{-arene})$] complexes, 225
Mössbauer spectroscopy
Investigation of the iron–carbon bonding for alkyl, alkynyl, carbene, vinylidene, and allenylidene complexes using ^{57}Fe Mössbauer spectroscopy, 75

Naphthyl substituents
Vinylidene complexes of osmium(0) derived from 1-naphthyl- or 2-naphthyl-carbyne complexes by hydride addition to the naphthyl substituents. The crystal structure of $Os(=C=C_{10}H_8)(CO)_2(PPh_3)_2$, 153
Neodymium
Organolanthanoids XXIII complexes of tris(cyclopentadienyl)lanthanoids with tertiary phosphine oxides and the X-ray crystal structures of [$YbCp_3(OPPh_3)$] and [$NdCp_3(OPBu^n_3)$], 201
NMR spectroscopy
Water soluble, hydrolytically stable derivatives of the antitumor drug titanocene dichloride and binding studies with nucleotides, 29
Nucleotide-binding
Water soluble, hydrolytically stable derivatives of the antitumor drug titanocene dichloride and binding studies with nucleotides, 29

Octanuclear clusters
Attachment of cyanometal units to the Fe_4S_4 cluster, 187
Octasilsesquioxane
Silsesquioxanes: Part I: A key intermediate in the building of molecular composite materials, 159

Organoiron
Investigation of the iron–carbon bonding for alkyl, alkynyl, carbene, vinylidene, and allenylidene complexes using ^{57}Fe Mössbauer spectroscopy, 75
Organolanthanoids
Organolanthanoids XXIII complexes of tris(cyclopentadienyl)lanthanoids with tertiary phosphine oxides and the X-ray crystal structures of [$YbCp_3(OPPh_3)$] and [$NdCp_3(OPBu^n_3)$], 201
Orthometallation
Orthomanganation of arylhydrazones and related *N*-donor substrates, 125
Osmium(0)
Vinylidene complexes of osmium(0) derived from 1-naphthyl- or 2-naphthyl-carbyne complexes by hydride addition to the naphthyl substituents. The crystal structure of $Os(=C=C_{10}H_8)(CO)_2(PPh_3)_2$, 153
Osmium
A series of triisopropylstibine ruthenium and osmium complexes including the X-ray crystal structure of [$RuCl_2(CO)(Sbi Pr_3)_3$] and [$RuCl_2(=C=C=CPh_2)(CO)(Sbi Pr_3)_2$], 231
Oxidation
$SnBrMe_3$ and dichalcogenides $(ER)_2$ as oxidants: Synthesis of platinum(IV) complexes, and C···C and C···E coupling from pallada(IV)cyclopentane complexes and $PdMe_2(EPh)\{(pz)_3BH\}$ {E = O_2C, S, Se; $[(pz)_3BH]^-$ = tris(pyrazol-1-yl)borate}, 135

Palladium
$SnBrMe_3$ and dichalcogenides $(ER)_2$ as oxidants: Synthesis of platinum(IV) complexes, and C···C and C···E coupling from pallada(IV)cyclopentane complexes and $PdMe_2(EPh)\{(pz)_3BH\}$ {E = O_2C, S, Se; $[(pz)_3BH]^-$ = tris(pyrazol-1-yl)borate}, 135
Synthesis and reaction chemistry of mixed ligand methylpalladium–carbene complexes, 165
The unusual attachment of an alkyne across the open edge of a Rh_2Pd complex, 11
Pentanuclear
Reactions of metalloalkynes 3. Facile synthesis of pentanuclear ruthenium clusters. X-ray structures of [$Ru_5(\mu_5\text{-}C{\equiv}C)(\eta\text{-}C_5H_4R)_2(dppm)(\mu_2\text{-}CO)_2(CO)_7$] (R = H, CH_3), 259
Phosphine
Diferrocenyltriphosphines 1: five-coordinate ruthenium complexes, 243
Mixed-metal cluster chemistry IX: alkylarylphosphine derivatives of [$CpWIr_3(CO)_{11}$] and X-ray crystal structure of [$CpWIr_3(\mu\text{-}CO)_3(CO)_7(PMe_2Ph)$], 81
Phosphine oxides
Organolanthanoids XXIII complexes of tris(cyclopentadienyl)lanthanoids with tertiary phosphine oxides and the X-ray crystal structures of [$YbCp_3(OPPh_3)$] and [$NdCp_3(OPBu^n_3)$], 201
Phosphines
1,3,5-Trimethyl-1,3,5-triazacyclohexane tricarbonyl complexes of Mo and W as sources of the *fac*-$M(CO)_3$ fragment. Mild syntheses of *fac*-[$M(CO)_3(CH_3CN)_3$] (M = Mo, W), [$W(CO)_3(PR_3)_3$], [W(CO)(alkyne)$_3$] and [$W(CO)_3(\pi\text{-arene})$] complexes, 225
Phosphite complexes
Preparation and redox properties of phosphite derivatives of $R_2C_2Co_2(CO)_{6-n}[P(OMe)_3]_n$ (R = CF_3, MeO_2C), 19
Platinum
$SnBrMe_3$ and dichalcogenides $(ER)_2$ as oxidants: Synthesis of platinum(IV) complexes, and C···C and C···E coupling from pallada(IV)cyclopentane complexes and $PdMe_2(EPh)\{(pz)_3BH\}$ {E = O_2C, S, Se; $[(pz)_3BH]^-$ = tris(pyrazol-1-yl)borate}, 135

Polyynediyl complexes
Reaction of ethynediyl, butadiynediyl and ethynyl iron complexes, $(\eta^5\text{-}C_5R_5)(CO)_2Fe\text{–}(C{\equiv}C)_n\text{–}X$ [X = $Fe(\eta^5\text{-}C_5R_5)(CO)_2$, H; $R_5 = Me_5$, Me_4Et; $n = 1$, 2], with $Fe_2(CO)_9$ leading to polynuclear C_2 and C_4 complexes, 49
^{31}P solid state NMR
High nuclearity ruthenium carbonyl cluster chemistry VII. Synthesis, NMR studies, electrochemistry and X-ray crystal structure of [PPN] $[Ru_8(\mu_8\text{-}P)(CO)_{22}]$, 193

Reaction chemistry
Synthesis and reaction chemistry of mixed ligand methylpalladium–carbene complexes, 165
Reactions with alkenes and alkynes
A series of triisopropylstibine ruthenium and osmium complexes including the X-ray crystal structure of $[RuCl_2(CO)(Sb\textit{i}Pr_3)_3]$ and $[RuCl_2(=C=C=CPh_2)(CO)(Sb\textit{i}Pr_3)_2]$, 231
Reductive elimination
$SnBrMe_3$ and dichalcogenides $(ER)_2$ as oxidants: Synthesis of platinum(IV) complexes, and C···C and C···E coupling from pallada(IV)cyclopentane complexes and $PdMe_2(EPh)\{(pz)_3BH\}$ {E = O_2C, S, Se; $[(pz)_3BH]^-$ = tris(pyrazol-1-yl)borate}, 135
Regioselectivity
Mono and difunctionalisation of chiral ferrocenyl bis-acetals. X-Ray crystal structure of bis-1,1′-[(2*S*, 4*S*)-(hydroxymethyl)-2-dioxane1,3]-ferrocene, 115
Rhodium
The unusual attachment of an alkyne across the open edge of a Rh_2Pd complex, 11
Ruthenium
A series of triisopropylstibine ruthenium and osmium complexes including the X-ray crystal structure of $[RuCl_2(CO)(Sb\textit{i}Pr_3)_3]$ and $[RuCl_2(=C=C=CPh_2)(CO)(Sb\textit{i}Pr_3)_2]$, 231
Reactions of metalloalkynes 3. Facile synthesis of pentanuclear ruthenium clusters. X-ray structures of $[Ru_5(\mu_5\text{-}C{\equiv}C)(\eta\text{-}C_5H_4R)_2(dppm)(\mu_2\text{-}CO)_2(CO)_7]$ (R = H, CH_3), 259
Reversible coordination of the high oxidation state dioxo-acetylide fragment $(C_5Me_5)W(O)_2(CCPh)$ to a hexaruthenium cluster frame, 3
Some acetylene and hydride chemistry of group 8 metal complexes with cyclopentadienyls and their analogous ligands, 37
Synthesis and X-ray structure of $Ru_3(CO)_6(\mu_2\text{-}CO)(\mu_2\text{-}AsPh_2)(\mu\text{-}O{=}C\text{–}C_{12}H_{17})$, a first example of a CO insertion reaction to a cluster-bound hydrocarbon, 267
The preparation of mixed ligand ruthenocenes containing bulky cyclopentadienyl ligands. Crystal structures of pentaphenylruthenocene, $[Ru(\eta^5\text{-}C_5Ph_5)(\eta^5\text{-}C_5H_5)]$, pentaparatolylruthenocene, $[Ru\{\eta^5\text{-}C_5(p\text{-}MeC_6H_4)_5\}(\eta^5\text{-}C_5H_5)]$ and pentaphenylpentamethylruthenocene, $[Ru(\eta^5\text{-}C_5Ph_5)(\eta^5\text{-}C_5Me_5)]$, 283
Ruthenium cluster
High nuclearity ruthenium carbonyl cluster chemistry VII. Synthesis, NMR studies, electrochemistry and X-ray crystal structure of [PPN] $[Ru_8(\mu_8\text{-}P)(CO)_{22}]$, 193
Ruthenium clusters
1,6-Bis(trimethylsilyl)hexa-1,3,5-triyne as a precursor to ruthenium clusters containing highly ethynylated ligands, 279
Ruthenium complexes
Buta-1,2,3-trienylidene, acylvinylidene and acylalkynyl ruthenium complexes via activation of alkynes with $RuCl_2(dppe)_2$. X-ray structure of *trans*-$[Ru(=C=CHCOCH_2Ph)(Cl)(dppe)_2]O_3SCF_3$, 63
Ruthenium(II)
Diferrocenyltriphosphines 1: five-coordinate ruthenium complexes, 243
Second sphere coordination
Use of metal carbonyls in the formation of $[H_5O_2^+ \cdot 15\text{-crown-}5][MOCl_4(H_2O)^-]$, (M = Mo, W), and a second sphere coordination complex in $[mer\text{-}CrCl_3(H_2O)_3 \cdot 15\text{-crown-}5]$, 179
Selenolate
$SnBrMe_3$ and dichalcogenides $(ER)_2$ as oxidants: Synthesis of platinum(IV) complexes, and C···C and C···E coupling from pallada(IV)cyclopentane complexes and $PdMe_2(EPh)\{(pz)_3BH\}$ {E = O_2C, S, Se; $[(pz)_3BH]^-$ = tris(pyrazol-1-yl)borate}, 135
Si_8O_{12} cube
Silsesquioxanes: Part I: A key intermediate in the building of molecular composite materials, 159
Square antiprism
High nuclearity ruthenium carbonyl cluster chemistry VII. Synthesis, NMR studies, electrochemistry and X-ray crystal structure of [PPN] $[Ru_8(\mu_8\text{-}P)(CO)_{22}]$, 193
Stibine complexes
A series of triisopropylstibine ruthenium and osmium complexes including the X-ray crystal structure of $[RuCl_2(CO)(Sb\textit{i}Pr_3)_3]$ and $[RuCl_2(=C=C=CPh_2)(CO)(Sb\textit{i}Pr_3)_2]$, 231
Synthesis
Diferrocenyltriphosphines 1: five-coordinate ruthenium complexes, 243
Investigation of the iron–carbon bonding for alkyl, alkynyl, carbene, vinylidene, and allenylidene complexes using ^{57}Fe Mössbauer spectroscopy, 75
Synthesis and reaction chemistry of mixed ligand methylpalladium–carbene complexes, 165

Thiolate
$SnBrMe_3$ and dichalcogenides $(ER)_2$ as oxidants: Synthesis of platinum(IV) complexes, and C···C and C···E coupling from pallada(IV)cyclopentane complexes and $PdMe_2(EPh)\{(pz)_3BH\}$ {E = O_2C, S, Se; $[(pz)_3BH]^-$ = tris(pyrazol-1-yl)borate}, 135
Tin
$SnBrMe_3$ and dichalcogenides $(ER)_2$ as oxidants: Synthesis of platinum(IV) complexes, and C···C and C···E coupling from pallada(IV)cyclopentane complexes and $PdMe_2(EPh)\{(pz)_3BH\}$ {E = O_2C, S, Se; $[(pz)_3BH]^-$ = tris(pyrazol-1-yl)borate}, 135
Titanocene dichloride
Water soluble, hydrolytically stable derivatives of the antitumor drug titanocene dichloride and binding studies with nucleotides, 29
1,3,5-Triazacyclohexane
1,3,5-Trimethyl-1,3,5-triazacyclohexane tricarbonyl complexes of Mo and W as sources of the *fac*-$M(CO)_3$ fragment. Mild syntheses of *fac*-$[M(CO)_3(CH_3CN)_3]$ (M = Mo, W), $[W(CO)_3(PR_3)_3]$, $[W(CO)(alkyne)_3]$ and $[W(CO)_3(\pi\text{-arene})]$ complexes, 225
Tri-isopropylphosphine
Linking of benzyne and carbon monoxide at a triruthenium centre by migratory insertion, 141
Tripherylasine
Synthesis and X-ray structure of $Ru_3(CO)_6(\mu_2\text{-}CO)(\mu_2\text{-}AsPh_2)(\mu\text{-}O{=}C\text{–}C_{12}H_{17})$, a first example of a CO insertion reaction to a cluster-bound hydrocarbon, 267
Tungsten
Mixed-metal cluster chemistry IX: alkylarylphosphine derivatives of $[CpWIr_3(CO)_{11}]$ and X-ray crystal structure of $[CpWIr_3(\mu\text{-}CO)_3(CO)_7(PMe_2Ph)]$, 81
Reversible coordination of the high oxidation state dioxo-acetylide fragment $(C_5Me_5)W(O)_2(CCPh)$ to a hexaruthenium cluster frame, 3

1,3,5-Trimethyl-1,3,5-triazacyclohexane tricarbonyl complexes of Mo and W as sources of the *fac*-$M(CO)_3$ fragment. Mild syntheses of *fac*-$[M(CO)_3(CH_3CN)_3]$ (M = Mo, W), $[W(CO)_3(PR_3)_3]$, $[W(CO)(alkyne)_3]$ and $[W(CO)_3(\pi\text{-arene})]$ complexes, 225

Vinylidene
Investigation of the iron–carbon bonding for alkyl, alkynyl, carbene, vinylidene, and allenylidene complexes using ^{57}Fe Mössbauer spectroscopy, 75
Organometallic clusters: What is an appropriate DFT treatment?, 271

Vinylidene complexes
Vinylidene complexes of osmium(0) derived from 1-naphthyl- or 2-naphthyl-carbyne complexes by hydride addition to the naphthyl substituents. The crystal structure of $Os(=C=C_{10}H_8)(CO)_2(PPh_3)_2$, 153

Voltammetry
High nuclearity ruthenium carbonyl cluster chemistry VII. Synthesis, NMR studies, electrochemistry and X-ray crystal structure of [PPN] $[Ru_8(\mu_8\text{-P})(CO)_{22}]$, 193
Preparation and redox properties of phosphite derivatives of $R_2C_2Co_2(CO)_{6-n}[P(OMe)_3]_n$ (R = CF_3, MeO_2C), 19

X-ray diffraction
Linking of benzyne and carbon monoxide at a triruthenium centre by migratory insertion, 141
Towards linked clusters: reactions of $[Ru_6(CO)_{17}B]^-$ with dppm and [ClAu(L–L)AuCl] (L–L = bis(diphenylphosphino)-alkanes, -ethene and -ethyne, and the crystal structure of $[HRu_6(CO)_{15}(P,P'\text{-dppm})B]$ (dppm = bis(diphenylphosphino)methane), 105

X-ray structure
High nuclearity ruthenium carbonyl cluster chemistry VII. Synthesis, NMR studies, electrochemistry and X-ray crystal structure of [PPN] $[Ru_8(\mu_8\text{-P})(CO)_{22}]$, 193
Organolanthanoids XXIII complexes of tris(cyclopentadienyl)lanthanoids with tertiary phosphine oxides and the X-ray crystal structures of $[YbCp_3(OPPh_3)]$ and $[NdCp_3(OPBu^n_3)]$, 201
Silsesquioxanes: Part I: A key intermediate in the building of molecular composite materials, 159

Ytterbium
Organolanthanoids XXIII complexes of tris(cyclopentadienyl)lanthanoids with tertiary phosphine oxides and the X-ray crystal structures of $[YbCp_3(OPPh_3)]$ and $[NdCp_3(OPBu^n_3)]$, 201